




PROFESSIONAL
HIGH PRESSURE
CLEANERS

NETTOYEURS
PROFESSIONNELS
HAUTE PRESSION

LIMPIADORAS
PROFESIONALES
ALTA PRESION

IDROPULITRICI
PROFESSIONALI
AD ALTA PRESSIONE





Made in Italy

HOTWATER

- GAMMA X
- GAMMA 304
- GAMMA 430
- PERLA 430
- DEVIL 430
- HOT BOX 304
- HOT BOX 430
- HOT SPOT 304
- FOKUS
- FOKUS XL
- HELIOS 304



On Request - A Richiesta - Sur Demande
60Hz


GAMMAX



AISI 304

RPM 1450

TST



Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
Ritardo accensione caldaia dopo 5" - Spia microperdite
Photozell - Suction of detergent in high pressure - Fuel level indicator
Boiler ignition delay after 5" - Microleakages indicator
Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
Retard allumage chaudière après 5" - Témoin micro fuites

GAMMA X	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	145
120/10	120	600	3.0	2,2	1ph 230 V	145
150/15	150	900	5.5	4	3ph 230-400V	150
150/21	150	1260	7.5	5,5	3ph 230-400V	160
200/15	200	900	7.5	5,5	3ph 230-400V	160
200/21	200	1260	10	7,5	3ph 230-400V	175

HOT WATER HIGH PRESSURE CLEANERS




Made in Italy



GAMMA 304

GAMMA 304	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	145
120/10	120	600	3.0	2,2	1ph 230 V	145
150/15	150	900	5.5	4	3ph 230-400V	150
150/21	150	1260	7.5	5,5	3ph 230-400V	160
200/15	200	900	7.5	5,5	3ph 230-400V	160
200/21	200	1260	10	7,5	3ph 230-400V	175



Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
 Ritardo accensione caldaia dopo 5" - Spia microperdite
 Photocell - Suction of detergent in high pressure - Fuel level indicator
 Boiler ignition delay after 5" - Microleakages indicator
 Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
 Retard allumage chaudière après 5" - Témoin micro fuites


On Request - A Richiesta - Sur Demande
60HZ



GAMMA 430

GAMMA 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	145
120/10	120	600	3.0	2,2	1ph 230 V	145
150/15	150	900	5.5	4	3ph 230-400V	150
150/21	150	1260	7.5	5,5	3ph 230-400V	160
200/15	200	900	7.5	5,5	3ph 230-400V	160
200/21	200	1260	10	7,5	3ph 230-400V	175
XL 200/21	200	1260	10	7,5	3ph 230-400V	200
XL 250/15	250	900	10	7,5	3ph 230-400V	200

XL: Caldaia/Boiler/Chaudière C3




Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
 Ritardo accensione caldaia dopo 5" - Spia microperdite
 Photocell - Suction of detergent in high pressure - Fuel level indicator
 Boiler ignition delay after 5" - Microleakages indicator
 Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
 Retard allumage chaudière après 5" - Témoin micro fuites

On Request - A Richiesta - Sur Demande
60HZ



On Request - A Richiesta - Sur Demande
60HZ


PERLA 430



Aspirazione detergente alta pressione
Suction of detergent in high pressure
Aspiration détergent en haute pression


PERLA 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	145
120/10	120	600	3.0	2,2	1ph 230 V	145
150/15	150	900	5.5	4	3ph 230-400V	150
150/21	150	1260	7.5	5,5	3ph 230-400V	160
200/15	200	900	7.5	5,5	3ph 230-400V	160
200/21	200	1260	10	7,5	3ph 230-400V	175

DEVIL 430 HOT WATER HIGH PRESSURE CLEANERS



On Request - A Richiesta - Su Demanda
60HZ


DEVIL 430



DEVIL 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	135
120/10	120	600	3.0	2,2	1ph 230 V	135
170/14	170	840	5.5	4,0	3ph 230-400V	140



HOTBOX304



**HOTBOX
304**



HOTBOX 304	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	205
120/10	120	600	3.0	2,2	1ph 230 V	205
150/15	150	900	5.5	4	3ph 230-400V	215
150/21	150	1260	7.5	5,5	3ph 230-400V	225
200/15	200	900	7.5	5,5	3ph 230-400V	225
200/21	200	1260	10	7,5	3ph 230-400V	250

Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
 Ritardo accensione caldaia dopo 5" - Spia microperdite
 Photocell - Suction of detergent in high pressure - Fuel level indicator
 Boiler ignition delay after 5" - Microleakages indicator
 Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
 Retard allumage chaudière après 5" - Témoin micro fuites

HOTBOX430


HOT WATER
HIGH PRESSURE CLEANERS




Made in Italy



On Request - A Richiesta - Sur Demande
60Hz



HOTBOX430



98 x 61 x 100 cm

Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
Ritardo accensione caldaia dopo 5" - Spia microperdite
Photocell - Suction of detergent in high pressure - Fuel level indicator
Boiler ignition delay after 5" - Microleakages indicator
Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
Retard allumage chaudière après 5" - Témoin micro fuites

**HOTBOX
430**



	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	205
120/10	120	600	3.0	2,2	1ph 230 V	205
150/15	150	900	5.5	4	3ph 230-400V	215
150/21	150	1260	7.5	5,5	3ph 230-400V	225
200/15	200	900	7.5	5,5	3ph 230-400V	225
200/21	200	1260	10	7,5	3ph 230-400V	250




On Request - A Richiesta - Sur Demande
60HZ



HOTSPOT 304



TST



Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
Ritardo accensione caldaia dopo 5" - Spia microperdite
Photozell - Suction of detergent in high pressure - Fuel level indicator
Boiler ignition delay after 5" - Microleakages indicator
Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
Retard allumage chaudière après 5" - Témoin micro fuites

HOTSPOT	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	205
120/10	120	600	3.0	2,2	1ph 230 V	205
150/15	150	900	5.5	4	3ph 230-400V	215
150/21	150	1260	7.5	5,5	3ph 230-400V	225
200/15	200	900	7.5	5,5	3ph 230-400V	225
200/21	200	1260	10	7,5	3ph 230-400V	250

FOKUS


HOT WATER
HIGH PRESSURE CLEANERS



Made in Italy




FOKUS - FOKUS XL



108 x 69 x 110 cm

FOKUS	LT/H	KW	50 HZ	KG
FOKUS	600 - 900	0.250	1ph 230 V	100
FOKUS XL	900 - 1260	0.250	1ph 230 V	115

CALDAIA MOBILE
MOBILE BOILER
CHAUDIERE MOBILE



On Request - A Richiesta - Sur Demande
60HZ




HELIOS 304



RISI 304

RPM 1450

TST



Fotocellula - Aspirazione detergente alta pressione - Spia mancanza gasolio
Ritardo accensione caldaia dopo 5" - Spia microperdite - **Doppia Caldaia**
Photozell - Suction of detergent in high pressure - Fuel level indicator
Boiler ignition delay after 5" - Microleakages indicator - **Double Boiler**
Photocellule - Aspiration détergent en haute pression - Témoin niveau gasoil
Retard allumage chaudière après 5" - Témoin micro fuites - **Double Chaudiere**

HELIOS 304	BAR	LT/H	HP	KW	50 HZ	KG
150/30	150	1800	10	7,5	3ph 230-400V	280
200/25	200	1500	12,5	9	3ph 230-400V	290
200/30	200	1800	15	11	3ph 230-400V	300



Made in Italy


COLDWATER

- BOX 304
- AKUA 304
- IGLOO 430
- GEKO 430
- BRIO 430
- SPRINT 430
- FURIA 430
- PRYSMA 304
- BLITZ 430



On Request - A Pichiasta - Sur Demande
60HZ

BOX 304



Spia microperdite
Microleakages indicator
Témoin micro fuites

BOX 304	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	85
120/10	120	600	3.0	2,2	1ph 230 V	85
150/15	150	900	5.5	4	3ph 230-400V	90
150/21	150	1260	7.5	5,5	3ph 230-400V	95
200/15	200	900	7.5	5,5	3ph 230-400V	95
200/21	200	1260	10	7,5	3ph 230-400V	100

AKUA 304 COLD WATER HIGH PRESSURE CLEANERS




Made in Italy



On Request - A Richiesta - Sur Demande
60Hz

AKUA 304



89 x 64 x 78 cm

Spia microperdite
Microleakages indicator
Témoins micro fuites


(*) Giunto elastico tra pompa e motore
(*) Flexible joint between pump and motor
(*) Joint entre pompe et moteur

AKUA 304	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	90
120/10	120	600	3.0	2,2	1ph 230 V	90
150/15 (*)	150	900	5.5	4	3ph 230-400V	95
150/21 (*)	150	1260	7.5	5,5	3ph 230-400V	98
200/15 (*)	200	900	7.5	5,5	3ph 230-400V	98
200/21 (*)	200	1260	10	7,5	3ph 230-400V	110



On Request - A Richiesta - Sur Demande
60Hz

IGLOO 430



Microperdite
Microleakages
Micro fuites

**IGLOO
430**



IGLOO 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	80
120/10	120	600	3.0	2,2	1ph 230 V	80
150/15	150	900	5.5	4	3ph 230-400V	85
150/21	150	1260	7.5	5,5	3ph 230-400V	88
200/15	200	900	7.5	5,5	3ph 230-400V	88
200/21	200	1260	10	7,5	3ph 230-400V	100

GEKO 430

COLD WATER
HIGH PRESSURE CLEANERS



Made in Italy



Request - A Richiesta - Su Demanda
60Hz


GEKO 430



AISI 430

RPM 1450

BYPASS




80 x 61 x 75 cm

GEKO 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	75
120/10	120	600	3.0	2,2	1ph 230 V	75
150/15	150	900	5.5	4	3ph 230-400V	80
150/21	150	1260	7.5	5,5	3ph 230-400V	83
200/15	200	900	7.5	5,5	3ph 230-400V	83
200/21	200	1260	10	7,5	3ph 230-400V	90



On Request - A Richiesta - Sur Demande
60Hz

BRIO 430



BRIO 430	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	40
120/10	120	600	3.0	2,2	1ph 230 V	40
170/14	170	780	5.5	4	3ph 230-400V	40

SPRINT 430

COLD WATER
HIGH PRESSURE CLEANERS



Made in Italy



Request - A Richiesta - Su Demanda
60Hz


SPRINT 430



AISI 430

RPM 2800

BYPASS



40 x 20 x 20 cm

SPRINT 430

100/7

BAR

100

LT/H

420

HP

2.0

KW

1,5

50 HZ

1ph 230 V

KG


20



On Request - A Richiesta - Sur Demande
60HZ

**FINO a 500 BAR
UP TO 500 BAR
JUSQU'A 500 BAR**

FURIA 430



Giunto elastico tra pompa e motore
Flexible joint between pump and motor
Joint entre pompe et moteur

Microperdite
Microleakages
Micro fuites

**FURIA
430**



	BAR	LT/H	HP	KW	50 HZ	KG
200/30	200	1800	15	11	3ph 230-400V	180
300/20	300	1200	15	11	3ph 230-400V	180
500/15	500	900	20	18	3ph 230-400V	200
400/18	400	1080	20	18	3ph 230-400V	200

PRYSMA 304

COLD WATER
HIGH PRESSURE CLEANERS




Made in Italy



On Request - A Richiesta - Sur Demande
60Hz

PRYSMA 304



98 x 61 x 100 cm

Spia microperdite
Microleakages indicator
Témoins micro fuites

Con 2 o più pompe/motore
With 2 or more pumps/motors
Avec 2 ou plus pompes/moteurs



PRISMA 304	BAR	LT/H	HP	KW	50 HZ	KG
100/12	100	720	3.0	2,2	1ph 230 V	190
120/10	120	600	3.0	2,2	1ph 230 V	190
150/15	150	900	5.5	4	3ph 230-400V	210
150/21	150	1260	7.5	5,5	3ph 230-400V	220
200/15	200	900	7.5	5,5	3ph 230-400V	220
200/21	200	1260	10	7,5	3ph 230-400V	240
250/15	250	900	10	7,5	3ph 230-400V	240



HONDA
The Power of Dreams



BLITZ 430



(*) Rallentatore di giri
(*) RPM Retarder
(*) Ralentisseur de Tours

BLITZ	BAR	LT/H	HP	KG
150/11 (1)	150	660	5,5	30
150/15 (2) (*)	150	900	13	100
200/15 (2) (*)	200	900	13	100
180/21 (2) (*)	180	1260	13	100
250/15 (2) (*)	250	900	13	100

ACCESSORI

ACCESSORIES

BY-PASS VALVE
VALVOLA BY-PASS



FUEL FILTER
FLTRO GASOLIO



LANCES
LANCE



ROTATING NOZZLES
UGELLI ROTANTI

KIT RIPARAZIONE
INTERPUMP
INTERPUMP REPAIR KIT



FLOW SWITCH
FLUSSOSTATO



STAINLESS STEEL FILTER
FLTRO INOX



PRESSURE GAUGE
MANOMETRO



NOZZLES
UGELLI



HOSE REEL
AVVOLGI TUBO



BY-PASS VALVE WITH
MICRO SWITCH
VALVOLA BY-PASS CON
MICROINTERRUTTORE



PRESSURE SWITCH
PRESSOSTATO



SANDBLASTING KIT
KIT SABBIANTE



FOAMERS / SPRAYERS
SCHUMOGENI / NEBULIZZATORI



AUTOMATIC GUNS
PISTOLE



ROTATING BRUSHES
SPAZZOLE ROTANTI



FOAM LANCE
LANCIA SCHIUMA



SANDBLASTING KIT
TESTINA SABBIANTE



DRAIN CLEANING KIT
KIT PULIZIA TUBAZIONI



H.P. HOSE
TUBO ALTA PRESSIONE

DETERGENTS
DETERGENTI

ANTISCALE
ANTICALCARE



PROFIJET di Roberto Toninelli
Via Oriano, 6
25034 Coniolo di Orzinuovi (Bs)
ITALY

For export
export@profijet.it
Tel. +39 347 2765431

For technical Support
info@profijet.it
Tel. +39 339 7158804

VAT nr. IT01620380194

www.profijet.it